

## KAT



Stool.

- Versions:**
- Wood
  - Polyurethane
  - Upholstered

### FOR ROUND SEAT VERSION in wood or polyurethane:

- **Seat :**
  - round seat in beech-wood natural painted, th. 20 mm.
  - round seat in black integral polyurethane, th. 35 mm.

- **Bases:**



- 4-star swivel chromed cone shaped frame, on glides or castors
- 4-star swivel white painted cone shaped frame, on glides or castors



- round chromed swivel base  $\varnothing$  470 mm. with gas elevation
- round chromed swivel base  $\varnothing$  470 mm. with high gas elevation and footrest



- 5-star swivel base (APN, AL7) with footrest, gas spring on castors or feet




- 4 swiveling legs in chromed steel  $\varnothing$  14x2 ASFORM with round chromed footrest

## For POLYURETHANE SEAT AND BACK version:

- **Seat and back:** black integral polyurethane th. 35 mm. density 400-500 Kg /m<sup>3</sup>.

### ▪ Bases:



- **round chromed swivel base** Ø 470 mm with gas elevation
- **round chromed swivel base** Ø 470 mm with high gas elevation and footrest



- **5-star swivel base (APN, AL7) :**
  - with gas spring on castors (or feet)
  - with high gas spring on castors (or feet)

## Adjustments:



- **Inclining backrest:** fixed seat (no tilting) **with fixed plate in black painted steel th. 2,5 mm., cone Ø28 mm.** and inclining backrest (**knob lock**).
- **Seat height adjustment :** with gas piston, cone Ø 28 mm .
- **Back is adjustable in height (65 mm)** by means of an integrated mechanism.

**Footrest:** in chromed steel, adjustable in height.

## Swivel bases:



**APN** 5 star base with steel inner frame 25x30 mm th.2 m Ø 670 mm, cover in black polypropylene. (Ansi-Bifma X5.1-1993/8)



**AL7** 5-star base in die-cast polished aluminum Ø 650 mm



for **APN e AL7**: self-braking soft castors Ø 50 mm

**For UPHOLSTERED version:**

- **seat:**
  - **round frame**, in multilayer wood.
  - **Padding** in non-deformable expanded polyurethane density 50 kg/m<sup>3</sup> with resinat gr.100
  - **upholstery, one- colour or bi-color.**
- **bases:**
  - **4-star swivel chromed cone shaped frame**, on glides or castors
  - **4-star swivel white painted cone shaped frame**, on glides or castors
  - **round chromed swivel base** Ø 470 mm with gas elevation
  - **round chromed swivel base** Ø 470 mm with high gas elevation and footrest
  - **round chromed swivel base** Ø 280 mm with high gas elevation and footrest **fixable to the floor**
  - **5-star swivel base (APN, AL7)** with high gas spring, footrest on castors (or feet)
  - **4 swiveling legs** in chromed steel Ø 14x2 ASFORM with round chromed footrest
  - **swivel flat round base** Ø 480 mm, with footrest, **white or black painted, or chromed**
  - **4-star swivel chromed, white painted or black painted cone shaped frame, with gas elevation**, on castors

