


## KICCA



**Stackable multipurpose chair in coloured polypropylene.**

**Seat-back :** polypropylene shell thickness 7 mm., available in the following colours:  
CREAM – ORANGE – BLUE – GREY- TURQUOISE– TURTLE DOVE - GREEN– RED– BLACK.



Shells are coloured during the injection process with no heavy metal content in accordance with the Reach and Ross international standards.

The shell is fastened to the frame through 4 special polypropylene grey stripes.

Only on request : fire-retardant CREAM or GREY shell .

**Versions:**



- **POLYPROPYLENE SHELL**
- **POLYPROPYLENE SHELL WITH PADDED SEAT**
- **POLYPROPYLENE SHELL WITH PADDED SEAT AND BACK**


**Padded versions:** inner shell in polypropylene, covered with fireproof expanded polyurethane density 50kg/m<sup>3</sup>, thickness 5 mm. and upholstered.

## Options :




- under-seat polypropylene shell with linking device in chromed steel.
- under-seat polypropylene shell , used to stack 4-legs or sled frame padded chairs.
- Trolley: in black painted steel.

## Fixed frames:




- 4-legs in aluminium grey painted steel Ø 14x2 ASFORM (AV), 4-legs in white painted steel (AB) , 4-legs in black painted steel (AN) or chromed (ACC) with adjustable glides : in nylon or chromed with black rubber.
- 4 legs MAPLE WOOD with felt glides.
- sled base in painted aluminium steel Ø 14x2 ASFORM (AV), white painted (AB), black painted (AN) or chromed (ACC).



- **Crossed sled base (NOT STACKABLE)** in steel Ø 14x2 ASFORM aluminium painted (AV), white painted (AB), black painted (AN) , turquoise painted (PP), turtle-dove painted (TT), bronze painted (BR) or chromed (ACC).

## Swivel frames:



- 4-legs swivel base in chromed cone-shaped steel, on chromed feet (with black rubber) or chromed castors.
- 4-legs swivel base in white or black painted cone-shaped steel, on nylon feet or chromed castors.
- 4-legs swivel base in chromed cone-shaped steel, WITH GAS SPRING on chromed castors.
- 4-legs swivel base in white or black painted cone-shaped steel, WITH GAS SPRING on chromed castors.
- 5-stars swivel base (APN, APS, APW, APG, AL5, AL6, AL7, AL8, AL9) with gas spring height adjustment, on castors (or feet)
- rounded chromed pedestal Ø 480 mm. (gas spring height adjustment)

## Swivel bases:



**APN** 5 star base with steel inner frame 25x30 mm th.2 mm Ø 670 mm, cover in black polypropylene. (Ansi-Bifma X5.1-1993/8)



**AL7** 5-star base in die-cast polished aluminum Ø 650 mm



for **APN** and **AL7**: self-braking soft castors Ø 50 mm



**APS** 5-star base in black reinforced nylon Ø 660 mm



**AL6** 5-star base in die-cast polished aluminum Ø 654 mm.



for **APS, APG, APW, AL6, ANN** and **AL9**: self-braking soft castors Ø 65 mm



**APG** 5-star base in grey nylon Ø 675 mm



**APW** 5-star base in white nylon Ø 675 mm



**AL9** 5-star base in die-cast aluminum, aluminium grey painted Ø 650 mm



**ANN** 5 star base in die cast aluminium black painted Ø 654 mm



**AL3** 5-star base in die-cast polished aluminum Ø 654 mm with chromed gaslift




**AL5** 5-star base in die-cast polished aluminum Ø 654 mm with chromed gaslift




for **AL3** and **AL5** self-braking soft castors Ø 65 mm **CHROMED**


## Stools :




- 4-legs stool in white painted (AB), aluminium Painted (AV), black painted (AN) or chromed (ACC) steel Ø 14x2 ASFORM with footrest on 3 sides. H 72 cm. On request height 65 cm: minimum quantity 10 pieces.



- sled stool in white painted (AB), aluminium Painted (AV), black painted (AN) or chromed (ACC) steel Ø 14x2 ASFORM with footrest on front side




- 4 legs swivel stool in chromed steel Ø 14x2 ASFORM with round chromed footrest




- round chromed steel base Ø 480 mm. with gas elevation and footrest in chromed steel.




- round chromed steel base Ø 280 mm. for fixing to the floor with gas elevation and footrest in chromed steel.



- swivel bases on 5-star base on glides, with chromed footrest




- **round flat base**  $\varnothing$  480 mm. with gas elevation and footrest in **white painted, black painted or chromed steel**



- **Fixed slope sled base** in steel aluminium painted (**AV**), white painted (**AB**), black painted (**AN**) or chromed (**ACC**)  $\varnothing$  14x2 ASFORM with footrest in the inner side.

**Bench version :**


**Beam :** in aluminum painted steel mm. 80x 40 thickness 1,5 mm:



**Legs :**



**Type A** in aluminum painted steel



**Type B** in die-cast polished aluminum

**Optional:**

- **Pair of glides for fixing to the floor** ( for die-cast aluminum legs only) 

- **Junction: to join beams** 

- **Top table:** in black MDF

- **Top table:** in white or anthracite HPL



**Certificates:** in accordance to the European standard EN13761 (4-legs version)