

KRITERIA



Managerial and relax armchair.

Versions: - one-color or two-colors upholstery;



-flat upholstery;



- capitonné upholstery.

Seat and back shell: in curved beech-wood multilayer thickness 14 mm with inner shell thickness 6 mm.

Seat filler: in expanded fireproof polyurethane thickness 5 cm, D.50 kg m³ with covering sheet thickness 1 cm, D.65 kg m³.

Back filler: in expanded fireproof polyurethane thickness 5 cm, D.30 kg m³ with covering sheet thickness 1 cm, D.65 kg m³.

Underseat and rear back filler: in expanded fireproof polyurethane thickness 0,4 cm, D.65 kg m³.

Height adjustment: through gas spring, cone Ø 28 mm.

Mechanisms:

- **Fixed plate:** (fixed backrest) in painted steel thickness 2.5 mm, cone Ø 28 mm.
- **Syncron mechanism** with steel frame:
 - 5 positions locking;
 - Height adjustment lever;
 - Antishock system;
 - Tension adjustment;



- **“knee-tilt” tilting mechanism: (only with bases APN o AL7)** steel frame with advanced tilting point:

- 5 positions locking;
- Height adjustment lever;
- Antishock system;
- Tension adjustment;



Swivel bases:



APN 5 star base with steel inner frame 25x30 mm th.2 mm Ø 670 mm, cover in black polypropylene. (Ansi-Bifma X5.1-1993/8)



AL7 5-star base in die-cast polished aluminum Ø 650 mm



for **APN** and **AL7**: self-braking soft castors Ø 50 mm



APS 5-star base in black reinforced nylon Ø 660 mm



AL6 5-star base in die-cast polished aluminum Ø 654 mm.



for **APS, APG, APW, AL6, ANN** and **AL9**: self-braking soft castors Ø 65 mm



APG 5-star base in grey nylon Ø 675 mm



APW 5-star base in white nylon Ø 675 mm



AL9 5-star base in die-cast aluminum, aluminium grey painted Ø 650 mm



ANN 5-star base in die-cast aluminium black painted Ø 654 mm



AL3 5-star base in die-cast polished aluminum Ø 654 mm with chromed gaslift



AL5 5-star base in die-cast polished aluminum Ø 654 mm with chromed gaslift



for **AL3** and **AL5** self-braking soft castors Ø 65 mm **CHROMED**



AWW 5 star base in die-cast aluminium white painted Ø 654 mm, with **WHITE GASLIFT**.



for **AWW**: self-braking soft castors Ø 65 mm **WHITE**



AL4 (not for tilting versions) 4-star base in die-cast aluminium Ø 730 mm. with chromed feet and chromed gas-lift



APP 5 star black nylon base Ø 680 with dynamic DUO glides nylon/wool felt

Relax bases – Waiting Area:

- Swivel or fixed stainless steel round base \varnothing 580 mm.
- Swivel or fixed 4 stars chromed ACC or black AN steel base.

Dimensions:

