## **KUPER (EASY MESH)**







### Task chair, with mesh backrest.

**Seat:** in reinforced nylon

**Padding:** in expanded non-deformable polyurethane D. 40 KG/M3 – Thickness 40 MM

**Backrest:** supporting frame in **black or white** reinforced nylon, mesh upholstery on the front side.



**Lumbar support** (on request): spring lumbar support adjustable in various positions.

#### **Armrests:**



- **2D adjustable in nylon:** adjustable in height and extensible, black or white, matching with the backrest color



- fixed in reinforced black nylon



- **2D adjustable:** in reinforced black nylon with top cover in expanded soft black polyurethane, adjustable in height and extensible

Seat height adjustment: through gas spring, cone Ø 28 mm.

#### **Mechanisms:**

- **Fixed plate:** (fix backrest) in painted steel thickness 2.5 mm.



- **Self weighing Synchron (RE):** lockable in 5 positions and with anti-shock system. Backrest maximum reach 20°, seat maximum reach 6°. Tilting self-weighing system according to the users' weight.
- Self weighing Synchron with sliding system (RT): lockable in 5 positions and with anti-shock system. Backrest maximum reach 20°, seat maximum reach 6°. Tilting self-weighing system according to the users' weight. 60 mm seat depth adjustment through sliding plate.



#### Swivel bases and castors:



**APN** 5 star base with steel inner frame 25x30 mm th.2 mm Ø 670 mm, cover in black polypropylene. (Ansi-Bifma X5.1-1993/8)



**AL7** 5-star base in die-cast polished aluminum Ø 650 mm



for **APN** and **AL7**: self-braking soft castors Ø 50 mm



**APS** 5-star base in black reinforced nylon Ø 660 mm



**AL6** 5-star base in die-cast polished aluminum Ø 654 mm.



for APS, APG, APW, AL6, ANN and AL9: self-braking soft castors Ø 65 mm



**APG** 5-star base in grey nylon Ø 675 mm



**APW** 5-star base in white nylon Ø 675 mm



**ANN 5-star** base in die cast aluminium black painted Ø 654 mm



**AL9** 5-star base in die-cast aluminum, aluminium grey painted Ø 650 mm

AL3 5-star base in die-cast

polished aluminum Ø 654 mm

with chromed gaslift



AL5 5-star base in die-cast polished aluminum Ø 654 mm with chromed gaslift



for AL3 and AL5 self-braking soft castors Ø 65 mm CHROMED



AWW 5 star base in die cast aluminium white painted Ø 654 mm, with WHITE GASLIFT.



for **AWW**: self-braking soft castors Ø 65 mm **WHITE** 



AL4 (not for tilting versions)

4-star base in die-cast aluminum  $\emptyset$  730 mm. with chromed feet and **chromed** gas-lift

# ABRA

#### **Dimensions:**

