



TECHNICAL SPECIFICATION FORM OF THE PRODUCT (ANNEX-4)								
History	Sequence No.						38	
OKAS CODE	39	1	1	3	4	0	0	
DMO CATALOG CODE NO								
NAME OF THE PRODUCT	Guest couch							
ORIGINAL PRODUCT CODE (P/N)	KATO 300 C							
PRODUCT BRAND / MODEL	Goldsit/KATO							
								
TECHNICAL SPECIFICATIONS								
GUEST COUCH								
Foot Structure	U GUEST FOOT INTEGRATED WITH ARM							
Width (mm)	610							
Depth (mm)	660							
Height (mm)	930							
Backrest Upholstery Material	NET FABRIC							
Foot Material	METAL PROFILE							
Armrest Material	BLACK POLYPROPYLENE							
Other Features	25*3 MM SPECIAL EXTRACTED PIPE MATERIAL IS USED IN THE FEET.							
For Technical Drawing/Drawing								
Company official name signature and stamp								
DESCRIPTIONS								
Annex-4 Technical Specification Forms for the Product shall be filled in accordance with the "General Rules" in the "List of Material Types to be Taken into the Catalogue" in the Annexes of the Catalog Announcement.								




KATO 300 C GUEST CHAIR




ön görünüş



yan görünüş



üst görünüş



arka görünüş

Seating Depth	: 470mm
Seating Surface Width	: 480mm
Height of Back Upper Edge from Seating Surface	: 520mm
Back Width	: 460mm
Width	: 610mm
Depth	: 660mm
Height	: 930mm

THE BACK IS WITH MESH AND IS MADE OF PLASTIC MATERIAL. THE TENSION OF THE BACK PLASTIC HAS ALUMINUM POLISHED STRESS ON THE UPPER BACK THAT PREVENTS DEFORMATION OVER TIME AND ATTACHES THE VISUAL.

Ø 25x3 MM PIPE AND THE CONSTRUCTION CONSTRUCTING THE FEET AND ARM STRAP IS USED ON 2 mm SHEET BODY CARRIER. IT IS CHROME PLATED. PLASTIC FOOT IS USED TO PREVENT CONTACT WITH THE GROUND.

